

| MODEL | FUEL | MODEL YEAR | FILLING QUANTITY | SPECIFICATIONS APPROVED OIL TYPES | RAVENOL PRODUCT | RECOMMENDATION | ALTERNATIVES TO THE RAVENOL PRODUCT |
|---|--------|------------|------------------|-----------------------------------|--------------------------------|----------------|-------------------------------------|
| Freelander 1.8 i | Petrol | '97-'07 | 4,5 | ACEA A2 | RAVENOL TSI SAE 10W-40 | ACEA A2 | |
| Freelander 2.5 i V6 | Petrol | '01-'07 | 5,2 | ACEA A2 | RAVENOL TSI SAE 10W-40 | ACEA A2 | |
| Freelander 2.0 Si4, AWD | Petrol | '12-'14 | 5,6 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Freelander 3.2 i6 | Petrol | '07-'12 | 7,5 | ACEA A5/B5 | RAVENOL SSV SAE 0W-30 | ACEA A5/B5 | RAVENOL WIV SAE 0W-30 |
| Defender 90, 110, 130 2.5 | Petrol | '90-'95 | 6,9 | ACEA A2 | RAVENOL VMP SAE 5W-30 | ACEA A2 | RAVENOL DXG SAE 5W-30 |
| Defender 90, 110, 130 3.5 V8 | Petrol | '90-'02 | 5,7 | ACEA A2 | RAVENOL VMP SAE 5W-30 | ACEA A2 | RAVENOL DXG SAE 5W-30 |
| Defender 90 4.0 V8 | Petrol | '97-'98 | 6,57 | ACEA A2 | RAVENOL VMP SAE 5W-30 | ACEA A2 | RAVENOL DXG SAE 5W-30 |
| Discovery 1 2.0 16V | Petrol | '93-'98 | 5,3 | ACEA A2 | RAVENOL TSI SAE 10W-40 | | |
| Discovery 1, 2 V8, V8i | Petrol | '89-'05 | 6,1-6,7 | ACEA A2 | RAVENOL VMP SAE 5W-30 | ACEA A2 | RAVENOL DXG SAE 5W-30 |
| Discovery 2 4.6 V8i | Petrol | '89-'05 | 6,3 | ACEA A2 | RAVENOL TSI SAE 10W-40 | | RAVENOL FDS SAE 5W-30 |
| Discovery 3 4.0 V6 | Petrol | '05-'09 | 5,7 | Ford M2C929-A | RAVENOL SSO SAE 0W-30 | Ford M2C929-A | RAVENOL FDS SAE 5W-30 |
| Discovery 3 4.4 V8 | Petrol | '05-'09 | 7,5 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Discovery 4 3.0 V6 | Petrol | '14-'14 | 8 | STJLR.03.5004 Ford M2C925-A | RAVENOL SFE SAE 5W-20 | | |
| Discovery 4 3.0 V6 | Petrol | '15- | 8 | STJLR.51.5122 | RAVENOL ECS EcoSynth SAE 0W-20 | | |
| Discovery 4 5.0 V8 | Petrol | '09-'13 | 8 | STJLR.03.5004 Ford M2C925-A | RAVENOL SFE SAE 5W-20 | | |
| Discovery Sport 2.0 Si4 AWD | Petrol | '15- | 5,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Discovery Sport 2.0 Si4 Active Driveline | Petrol | '15- | 5,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover Evoque 2.0 GTDi, AWD | Petrol | '11-'14 | 5,6 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover Evoque 2.0 Si4 AWD | Petrol | '14-'15 | 5,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover Evoque 2.0 Si4 Active Driveline | Petrol | '14-'15 | 5,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover Evoque 2.0 Si4 Active Driveline | Petrol | '16- | 5,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |



RAVENOL ECS SAE 0W-20

API SN/RC ACEA A1/B1
Fully synthetic low friction motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HT0-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102



RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAO (Poly alpha olefines) with CleanSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107



RAVENOL SFE SAE 5W-20

API SN/RC
Fully synthetic low friction low SAPS motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HT0-B, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-C91, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111109



RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSyntho® Technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139



RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

| MODEL | FUEL | MODEL YEAR | FILLING QUANTITY | SPECIFICATIONS APPROVED OIL TYPES | RAVENOL PRODUCT | RECOMMENDATION | ALTERNATIVES TO THE RAVENOL PRODUCT |
|--|--------|------------|------------------|-----------------------------------|------------------------------------|----------------|-------------------------------------|
| Range Rover V8 4.0, 4.6 | Petrol | '95-'01 | 4,9 | CCMC G4 | RAVENOL Formel Standard SAE 10W-30 | | |
| Range Rover (Sport) V8 4.2 SC | Petrol | '05-'09 | 7,7 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) V8 4.4 | Petrol | '02-'05 | 8,5 | ACEA A3/B3 | RAVENOL VST SAE 5W-40 | ACEA A3/B3 | RAVENOL HCS SAE 5W-40 |
| Range Rover (Sport) V8 4.4 | Petrol | '05-'07 | 7,7 | Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) V8 5.0, V8 5.0 SC | Petrol | '09-'12 | 8 | STJLR.03.5004 Ford M2C925-A | RAVENOL SFE SAE 5W-20 | | |
| Range Rover Sport 3.0 V6, Supercharged | Petrol | '13-'14 | 8 | STJLR.03.5004 Ford M2C925-A | RAVENOL SFE SAE 5W-20 | | |
| Range Rover (Sport) 5.0 V8, Supercharged | Petrol | '13-'14 | 8 | STJLR.03.5004 Ford M2C925-A | RAVENOL SFE SAE 5W-20 | | |
| Range Rover (Sport) 3.0 V6, 5.0 V8, Supercharged | Petrol | '15- | 8 | STJLR.51.5122 | RAVENOL ECS EcoSynth SAE 0W-20 | | |
| Range Rover Sport 5.0 V8 Supercharged SVR | Petrol | '14- | 8 | STJLR.51.5122 | RAVENOL ECS EcoSynth SAE 0W-20 | | |
| Freelander 2.0 di | Diesel | '97-'01 | 4,5 | ACEA B2 | RAVENOL Formel Super SAE 15W-40 | ACEA B2 | |
| Freelander 2.0 Td4 | Diesel | '01-'07 | 6,8 | ACEA B3 | RAVENOL SSO SAE 0W-30 | ACEA B3 | RAVENOL VDL SAE 5W-40 |
| Freelander 2.2 TD4 | Diesel | '07-'10 | 5,9 | Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Freelander 2.2 TD4, SD4, eD4 | Diesel | '10-'14 | 5,9 | Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Freelander 2.2 TD4, SD4, eD4, + DPF | Diesel | '11-'14 | 5,9 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Defender 90, 110, 130 2.5 D, Tdi | Diesel | 83-'94 | 6,7 | CCMC G4 | RAVENOL Formel Standard | | |
| Defender 90, 110, 130 Tdi | Diesel | 94-'98 | 6,7 | ACEA B2 | RAVENOL DLO SAE 10W-40 | | |
| Defender 90, 110, 130 2.2 Td4 | Diesel | 11-'16 | 7 | STJLR.03.5003 Ford M2C913-C | | | |
| Defender 90, 110, 130 2.5 D, Tdi | Diesel | 83-'94 | 6,7 | CCMC G4 | RAVENOL Formel Standard SAE 10W-30 | | |
| Defender 90, 110, 130 Tdi | Diesel | 94-'98 | 6,7 | ACEA B2 | RAVENOL DLO SAE 10W-40 | | |
| Defender 90, 110, 130 2.2 Td4 | Diesel | 11-'16 | 7 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | | |
| Defender 90, 110, 130 2.2 Td4, + DPF | Diesel | 11-'16 | 7 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Defender 90, 110, 130 2.4 Td4 | Diesel | '07-'11 | 6,3 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Discovery 1, 2 Tdi | Diesel | '89-'05 | 6,7-6,9 | API: CD | RAVENOL DLO SAE 10W-40 | | |



RAVENOL ECS SAE 0W-20

API SN/RCI ACEA A1/B1
Fully synthetic low friction motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTD-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102



RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAD (Poly alpha olefines)with CleanSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107



RAVENOL SFE SAE 5W-20

API SN/RCI
Fully synthetic low friction low SAPS motor oil with CleanSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTD-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-C/11, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111109



RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSyntho® technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139



RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

| MODEL | FUEL | MODEL YEAR | FILLING QUANTITY | SPECIFICATIONS APPROVED OIL TYPES | RAVENOL PRODUCT | RECOMMENDATION | ALTERNATIVES TO THE RAVENOL PRODUCT |
|---|--------|------------|------------------|-----------------------------------|-----------------------|----------------|-------------------------------------|
| Discovery 3 2.7 TdV6 | Diesel | '05-'09 | 5,7 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Discovery 4 2.7 TDV6 | Diesel | '09-'10 | 5,5 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Discovery 4 3.0 TDV6, SDV6 | Diesel | '10-'12 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Discovery 4 3.0 TDV6, SDV6 | Diesel | '13- | 5,9 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | | |
| Discovery 4 3.0 TDV6, SDV6, + DPF | Diesel | '13- | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | ACEA B3 | |
| Discovery Sport 2.0 eD4 | Diesel | '15- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | Ford M2C913-B | |
| Discovery Sport 2.0 TD4 AWD | Diesel | '15- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | Ford M2C913-B | |
| Discovery Sport 2.0 TD4 AWD Active Driveline | Diesel | '15- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | | |
| Discovery Sport 2.2 TD4, SD4, AWD | Diesel | '15- | 5,9 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Discovery Sport 2.2 TD4, SD4, AWD Active Driveline | Diesel | '15- | 5,9 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Discovery Sport 2.2 TD4, SD4, AWD, +DPF | Diesel | '15- | 5,9 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Discovery Sport 2.2 TD4, SD4, AWD, +DPF Active Driveline | Diesel | '15- | 5,9 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover Evoque 2.0 eD4 | Diesel | '16- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | | |
| Range Rover Evoque 2.0 TD4 AWD | Diesel | '16- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | | |
| Range Rover Evoque 2.0 TD4 AWD Active Driveline | Diesel | 16- | 6,5 | STJLR.03.5007 | SPECIAL PRODUCT | | |
| Range Rover Evoque 2.2 TD4, SD4, AWD | Diesel | 11-'14 | 5,9 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover Evoque 2.2 TD4, SD4, AWD, + DPF | Diesel | 11-'14 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover Evoque 2.2 TD4, SD4, eD4, AWD | Diesel | 14-'16 | 5,9 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover Evoque 2.2 TD4, SD4 Active Driveline | Diesel | 14-'16 | 5,9 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover Evoque 2.2 TD4, SD4, eD4, AWD, + DPF | Diesel | 14-'16 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover Evoque 2.2 TD4, SD4, eD4, AWD, + DPF Active Driveline | Diesel | 14-'16 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover 2.5 TDi | Diesel | 94-'01 | 9,5 | CCMC G5 | RAVENOL HVT SAE 5W-50 | | |

RAVENOL ECS SAE 0W-20

API SN/RC ACEA A1/B1
Fully synthetic low friction motor oil with CleanSynto® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTO-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102

RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAO (Poly alpha olefines) with CleanSynto® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107

RAVENOL SFE SAE 5W-20

API SN/RC
Fully synthetic low friction low SAPS motor oil with CleanSynto® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), Ford WSS-M2C925-A/B, Ford WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTO-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-0R1, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111110

RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with CleanSynto® Technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139

RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low-viscosity motor oil with CleanSynto® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimizes friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143

| MODEL | FUEL | MODEL YEAR | FILLING QUANTITY | SPECIFICATIONS APPROVED OIL TYPES | RAVENOL PRODUCT | RECOMMENDATION | ALTERNATIVES TO THE RAVENOL PRODUCT |
|--|--------|------------|------------------|-----------------------------------|-----------------------|----------------|-------------------------------------|
| Range Rover Td6 | Diesel | 02-'06 | 8,75 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 2.7 TDV6 | Diesel | 05-'09 | 5,5 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 3.0 TDV6 | Diesel | 09-'12 | 5,9 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 3.0 TDV6 DPF | Diesel | 09-'12 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 3.0 TDV6 | Diesel | 12-'13 | 5,9 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 3.0 TDV6 DPF | Diesel | 12-'13 | 5,9 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover 3.0 TDV6 | Diesel | '13-'13 | 6 | ACEA C1/03.505 | RAVENOL FLJ SAE 5W-30 | Ford M2C913-C | RAVENOL FDS SAE 5W-30 |
| Range Rover (Sport) 3.0 TDV6, SDV6 | Diesel | '14-'14 | 6 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | | |
| Range Rover (Sport) 3.0 TDV6, SDV6 | Diesel | '15- | 6 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | | |
| Range Rover 3.0 TDV6 DPF | Diesel | '13-'13 | 6 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 3.0 TDV6 DPF, SDV6 DPF | Diesel | '14-'14 | 6 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 3.0 TDV6 DPF, SDV6 DPF | Diesel | '15- | 6 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 3.0 SDV6 Hybrid | Diesel | '14- | 6 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover (Sport) 3.0 SDV6 Hybrid DPF | Diesel | '14- | 6 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 3.6 TDV8 | Diesel | '06-'13 | 9,5 | STJLR.03.5003 Ford M2C913-B | RAVENOL FDS SAE 5W-30 | Ford M2C913-B | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 3.6 TDV8 DPF | Diesel | '06-'13 | 9,5 | STJLR.03.5005 Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 4.4 TDV8 | Diesel | '10-'13 | 9,5 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | Ford M2C913-C | RAVENOL FO SAE 5W-30 |
| Range Rover (Sport) 4.4 TDV8 DPF | Diesel | '10-'13 | 9,5 | Ford M2C934-B | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover 4.4 SDV8 | Diesel | 13-'13 | 9,4 | ACEA C1/03.505 | RAVENOL FLJ SAE 5W-30 | Ford M2C913-B | RAVENOL FDS SAE 5W-30 |
| Range Rover (Sport) 4.4 SDV8 | Diesel | 14-'14 | 9,4 | STJLR.03.5003 Ford M2C913-C | RAVENOL FDS SAE 5W-30 | | |
| Range Rover (Sport) 4.4 SDV8 | Diesel | 15- | 9,4 | STJLR.03.5003 | RAVENOL FDS SAE 5W-30 | | |
| Range Rover 4.4 SDV8 DPF | Diesel | 13-'13 | 9,4 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 4.4 SDV8 DPF | Diesel | 14-'14 | 9,4 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |
| Range Rover (Sport) 4.4 SDV8 DPF | Diesel | 15- | 9,4 | STJLR.03.5005 | RAVENOL FLJ SAE 5W-30 | | |

RAVENOL ECS SAE 0W-20

API SN/RC ACEA A1/B1
Fully synthetic low friction motor oil with ClearSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, Resources Conserving, Ford WSS-M2C947-A, GM 6094M, Honda/Acura HTO-6, Chrysler MS-6395, Mitsubishi, Nissan, Mazda, Suzuki, Toyota, Jaguar Land Rover STJLR.51.5122

Art.Nr.: 1111102

RAVENOL VSF SAE 0W-30

ACEA C2
RAVENOL VSF SAE 0W-30 is a fully synthetic low friction engine oil based on PAD (Poly alpha olefines) with ClearSyntho® technology for car diesel engines with and without turbocharging and direct injection. Minimizing friction, wear and fuel consumption, excellent cold start characteristics. Extended oil change intervals according to the manufacturer's instructions.

Ford WSS-M2C950-A

Art.Nr.: 1111107

RAVENOL SFE SAE 5W-20

API SN/RC
Fully synthetic low friction low SAPS motor oil with ClearSyntho® technology for passenger car petrol and diesel engines with and without turbo-charging and direct injection.

ILSAC GF-5, FORD WSS-M2C930-A, FORD WSS-M2C930-B (extended drain capability), FORD WSS-M2C925-A/B, FORD WSS-M2C948-B, Chrysler MS-6395, Honda/Acura HTO-6, Nissan, Mazda, Suzuki, Toyota, Fiat 9.55535-0R1, JaguarLandRover STJLR.03.5004

Art.Nr.: 1111110

RAVENOL FDS SAE 5W-30

API SL/CF ACEA A1/B1, A5/B5
Fully synthetic, low friction motor oil with ClearSyntho® technology for petrol and diesel passenger cars with and without turbocharging and direct injection.

Renault RN0700, FORD WSS-M2C913-D (fulfills FORD WSS-M2C913-A/B/C), Fiat 9.55535-G1, JAGUAR LAND ROVER STJLR.03.5003

Art.Nr.: 1111139

RAVENOL FLJ SAE 5W-30

ACEA C1
Synthetic, low SAPS, low viscosity motor oil with ClearSyntho® technology that is suitable for petrol and diesel cars, with or without turbochargers and fuel injectors. It minimises friction, deterioration and fuel consumption, as well as possessing excellent cold-start characteristics and a lengthened oil change interval.

JAGUAR LAND ROVER STJLR.03.5005, FORD WSS-M2C934-B, MAZDA, Mitsubishi

Art.Nr.: 1111143